

Supherb "King Louie XIII" Tank

METRC Batch: 1A4060300003DCE000000447; METRC Sample: 1A406030001DD59000002906

Sample ID: 2108ENC6655_9679

Strain: King Louis XIII

Matrix: Concentrates & Extracts

Type: Other

Batch#: 210818-SKL

Collected: 08/18/2021

Received: 08/18/2021

Completed: 08/20/2021

Sample Size: 8 units; Batch: 1,000 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311




Summary

| Test | Date Tested | Instr. Method | Result |
|-------------------|-------------|-------------------|--------|
| Batch | | | Pass |
| Cannabinoids | 08/19/2021 | LC-DAD | Pass |
| Residual Solvents | 08/19/2021 | HS-GC-MS | Pass |
| Microbials | 08/20/2021 | qPCR | Pass |
| Mycotoxins | 08/19/2021 | LC-MS | Pass |
| Pesticides | 08/19/2021 | LC-MS | Pass |
| Heavy Metals | 08/20/2021 | ICP-MS | Pass |
| Foreign Matter | 08/19/2021 | Visual Inspection | Pass |

Cannabinoids

Method: SOP EL-CANNABINOIDS

Pass



| Analyte | LOD | LOQ | Result | Result | Result |
|------------------|-------|-------|---------------|----------------|----------------|
| | % | % | % | mg/g | mg/unit |
| THCa | 0.050 | 0.152 | ND | ND | ND |
| Δ9-THC | 0.029 | 0.088 | 83.720 | 837.20 | 837.20 |
| Δ8-THC | 0.051 | 0.154 | ND | ND | ND |
| THCVa | 0.017 | 0.051 | ND | ND | ND |
| THCV | 0.035 | 0.105 | 0.470 | 4.70 | 4.70 |
| CBDa | 0.042 | 0.129 | ND | ND | ND |
| CBD | 0.011 | 0.035 | 0.345 | 3.45 | 3.45 |
| CBN | 0.011 | 0.035 | 1.050 | 10.50 | 10.50 |
| CBGa | 0.043 | 0.129 | ND | ND | ND |
| CBG | 0.016 | 0.050 | 4.785 | 47.85 | 47.85 |
| CBCa | 0.027 | 0.081 | ND | ND | ND |
| CBC | 0.025 | 0.075 | 1.310 | 13.10 | 13.10 |
| Total THC | | | 83.720 | 837.200 | 837.200 |
| Total CBD | | | 0.345 | 3.450 | 3.450 |
| Total | | | 91.681 | 916.812 | 916.812 |

1 Unit = 1g:

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Mary Beth Smith

Mary Beth Smith
Compliance Manager
08/20/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Supherb "King Louie XIII" Tank

METRC Batch: 1A4060300003DCE000000447; METRC Sample: 1A406030001DD59000002906

Sample ID: 2108ENC6655_9679

Strain: King Louis XIII

Matrix: Concentrates & Extracts

Type: Other

Batch#: 210818-SKL

Collected: 08/18/2021

Received: 08/18/2021

Completed: 08/20/2021

Sample Size: 8 units; Batch: 1,000 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Pesticides

Method: SOP EL-PesticidesLCMS
LC-MS

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|-------------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.005 | 0.02 | 0.1 | ND | Pass | Fludioxonil | 0.01 | 0.05 | 0.1 | ND | Pass |
| Acephate | 0.002 | 0.01 | 0.1 | ND | Pass | Hexythiazox | 0.005 | 0.02 | 0.1 | ND | Pass |
| Acequinocyl | 0.01 | 0.02 | 0.1 | ND | Pass | Imazalil | 0.05 | 0.1 | 0.05 | ND | Pass |
| Acetamiprid | 0.005 | 0.02 | 0.1 | ND | Pass | Imidacloprid | 0.005 | 0.02 | 5 | ND | Pass |
| Aldicarb | 0.05 | 0.1 | 0.05 | ND | Pass | Kresoxim Methyl | 0.005 | 0.02 | 0.1 | ND | Pass |
| Azoxystrobin | 0.005 | 0.02 | 0.1 | ND | Pass | Malathion | 0.02 | 0.05 | 0.5 | ND | Pass |
| Bifenazate | 0.005 | 0.01 | 0.1 | ND | Pass | Metalaxyl | 0.002 | 0.005 | 2 | ND | Pass |
| Bifenthrin | 0.02 | 0.05 | 3 | ND | Pass | Methiocarb | 0.05 | 0.1 | 0.05 | ND | Pass |
| Boscalid | 0.02 | 0.05 | 0.1 | ND | Pass | Methomyl | 0.01 | 0.02 | 1 | ND | Pass |
| Captan | 0.2 | 0.3 | 0.7 | ND | Pass | Mevinphos | 0.02 | 0.05 | 0.02 | ND | Pass |
| Carbaryl | 0.02 | 0.05 | 0.5 | ND | Pass | Myclobutanil | 0.005 | 0.01 | 0.1 | ND | Pass |
| Carbofuran | 0.05 | 0.1 | 0.05 | ND | Pass | Naled | 0.01 | 0.02 | 0.1 | ND | Pass |
| Chlorantraniliprole | 0.002 | 0.01 | 10 | ND | Pass | Oxamyl | 0.005 | 0.01 | 0.5 | ND | Pass |
| Chlordane | 0.05 | 0.1 | 0.05 | ND | Pass | Pacllobutrazol | 0.05 | 0.1 | 0.05 | ND | Pass |
| Chlorfenapyr | 0.05 | 0.1 | 0.05 | ND | Pass | Parathion Methyl | 0.02 | 0.05 | 0.02 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.1 | 0.05 | ND | Pass | Pentachloronitrobenzene | 0.02 | 0.05 | 0.1 | ND | Pass |
| Clofentezine | 0.01 | 0.02 | 0.1 | ND | Pass | Permethrin | 0.02 | 0.05 | 0.5 | ND | Pass |
| Coumaphos | 0.02 | 0.05 | 0.02 | ND | Pass | Phosmet | 0.01 | 0.02 | 0.1 | ND | Pass |
| Cyfluthrin | 0.05 | 0.1 | 2 | ND | Pass | Piperonyl Butoxide | 0.02 | 0.05 | 3 | ND | Pass |
| Cypermethrin | 0.1 | 0.2 | 1 | ND | Pass | Prallethrin | 0.005 | 0.02 | 0.1 | ND | Pass |
| Daminozide | 0.02 | 0.05 | 0.02 | ND | Pass | Propiconazole | 0.005 | 0.01 | 0.1 | ND | Pass |
| Diazinon | 0.002 | 0.01 | 0.1 | ND | Pass | Propoxur | 0.05 | 0.1 | 0.05 | ND | Pass |
| Dichlorvos | 0.02 | 0.05 | 0.02 | ND | Pass | Pyrethrins | 0.02 | 0.05 | 0.5 | ND | Pass |
| Dimethoate | 0.02 | 0.05 | 0.02 | ND | Pass | Pyridaben | 0.005 | 0.01 | 0.1 | ND | Pass |
| Dimethomorph | 0.005 | 0.02 | 2 | ND | Pass | Spinetoram | 0.005 | 0.01 | 0.1 | ND | Pass |
| Ethoprophos | 0.05 | 0.1 | 0.05 | ND | Pass | Spinosad | 0.005 | 0.01 | 0.1 | ND | Pass |
| Etofenprox | 0.05 | 0.1 | 0.05 | ND | Pass | Spiromesifen | 0.01 | 0.02 | 0.1 | ND | Pass |
| Etoazole | 0.005 | 0.02 | 0.1 | ND | Pass | Spirotetramat | 0.005 | 0.01 | 0.1 | ND | Pass |
| Fenhexamid | 0.005 | 0.02 | 0.1 | ND | Pass | Spiroxamine | 0.05 | 0.1 | 0.05 | ND | Pass |
| Fenoxycarb | 0.05 | 0.1 | 0.05 | ND | Pass | Tebuconazole | 0.005 | 0.01 | 0.1 | ND | Pass |
| Fenpyroximate | 0.005 | 0.02 | 0.1 | ND | Pass | Thiacloprid | 0.02 | 0.05 | 0.02 | ND | Pass |
| Fipronil | 0.05 | 0.1 | 0.05 | ND | Pass | Thiamethoxam | 0.005 | 0.01 | 5 | ND | Pass |
| Fonicamid | 0.01 | 0.02 | 0.1 | ND | Pass | Trifloxystrobin | 0.005 | 0.01 | 0.1 | ND | Pass |

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Mary Beth Smith

Mary Beth Smith
Compliance Manager
08/20/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Supherb "King Louie XIII" Tank

METRC Batch: 1A4060300003DCE000000447; METRC Sample: 1A406030001DD59000002906

Sample ID: 2108ENC6655_9679

Strain: King Louis XIII

Matrix: Concentrates & Extracts

Type: Other

Batch#: 210818-SKL

Collected: 08/18/2021

Received: 08/18/2021

Completed: 08/20/2021

Sample Size: 8 units; Batch: 1,000 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Residual Solvents

Method: SOP EL-RES_SOLVENTS
HS-GC-MS

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloro-Ethane | 0.1 | 0.29 | 1 | ND | Pass |
| Acetone | 5.5 | 16.68 | 5000 | ND | Pass |
| Acetonitrile | 4.56 | 13.82 | 410 | ND | Pass |
| Benzene | 0.09 | 0.28 | 1 | ND | Pass |
| Butane | 3.33 | 10 | 5000 | ND | Pass |
| Chloroform | 0.1 | 0.29 | 1 | ND | Pass |
| Ethanol | 3.33 | 10 | 5000 | 85.57 | Pass |
| Ethyl-Acetate | 3.33 | 10 | 5000 | ND | Pass |
| Ethyl-Ether | 3.33 | 10 | 5000 | ND | Pass |
| Ethylene Oxide | 0.08 | 0.24 | 1 | ND | Pass |
| Heptane | 3.33 | 10 | 5000 | 12.17 | Pass |
| Isopropanol | 3.33 | 10 | 5000 | ND | Pass |
| Methanol | 8.85 | 26.8 | 3000 | ND | Pass |
| Methylene-Chloride | 0.1 | 0.31 | 1 | ND | Pass |
| n-Hexane | 3.33 | 10 | 290 | ND | Pass |
| Pentane | 3.33 | 10 | 5000 | ND | Pass |
| Propane | 3.33 | 10 | 5000 | ND | Pass |
| Toluene | 3.33 | 10 | 890 | ND | Pass |
| Trichloroethene | 0.1 | 0.29 | 1 | ND | Pass |
| Xylenes | 6.66 | 20 | 2170 | ND | Pass |

LABS

Date Tested: 08/19/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Mary Beth Smith

Mary Beth Smith
Compliance Manager
08/20/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Supherb "King Louie XIII" Tank

METRC Batch: 1A4060300003DCE000000447; METRC Sample: 1A406030001DD59000002906

Sample ID: 2108ENC6655_9679

Strain: King Louis XIII

Matrix: Concentrates & Extracts

Type: Other

Batch#: 210818-SKL

Collected: 08/18/2021

Received: 08/18/2021

Completed: 08/20/2021

Sample Size: 8 units; Batch: 1,000 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Mycotoxins

Method: SOP EL-PesticidesLCMS
LC-MS

Pass

| Analyte | LOD µg/kg | LOQ µg/kg | Limit µg/kg | Result µg/kg | Status |
|------------------|--------------|--------------|----------------|-----------------|--------|
| B1 | 2 | 4 | | ND | Tested |
| B2 | 2 | 4 | | ND | Tested |
| G1 | 2 | 4 | | ND | Tested |
| G2 | 2 | 4 | | ND | Tested |
| Ochratoxin A | 1 | 2 | 20 | ND | Pass |
| Total Aflatoxins | | | 20 | ND | Pass |



Date Tested: 08/19/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Mary Beth Smith

Mary Beth Smith
Compliance Manager
08/20/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Supherb "King Louie XIII" Tank

METRC Batch: 1A4060300003DCE000000447; METRC Sample: 1A406030001DD59000002906

Sample ID: 2108ENC6655_9679

Strain: King Louis XIII

Matrix: Concentrates & Extracts

Type: Other

Batch#: 210818-SKL

Collected: 08/18/2021

Received: 08/18/2021

Completed: 08/20/2021

Sample Size: 8 units; Batch: 1,000 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Microbials

Method: SOP EL-MICROBIALS
qPCR

Pass

| Analyte | Result | Status |
|-------------------------------|--------------------|--------|
| Aspergillus flavus | Not Detected in 1g | Pass |
| Aspergillus fumigatus | Not Detected in 1g | Pass |
| Aspergillus niger | Not Detected in 1g | Pass |
| Aspergillus terreus | Not Detected in 1g | Pass |
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass |
| Salmonella SPP | Not Detected in 1g | Pass |

Date Tested: 08/20/2021

Heavy Metals

Method: SOP EL-HEAVYMETALS
ICP-MS

Pass

| Analyte | LOD | LOQ | Limit | Result | Status |
|---------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.012 | 0.036 | 0.200 | ND | Pass |
| Cadmium | 0.015 | 0.044 | 0.200 | ND | Pass |
| Lead | 0.055 | 0.167 | 0.500 | ND | Pass |
| Mercury | 0.005 | 0.015 | 0.100 | ND | Pass |

Date Tested: 08/20/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Mary Beth Smith

Mary Beth Smith
Compliance Manager
08/20/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

