

Supherb "Tropicana Live Resin" Tank

METRC Batch: 1A4060300003DCE000000521; METRC Sample: 1A406030001DD59000002718

Sample ID: 2108ENC6198_8241
Strain: Tropicana

Produced: 08/03/2021
Collected: 08/03/2021
Received: 08/03/2021
Completed: 08/05/2021
Sample Size: 8 units; Batch: 1,011 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Matrix: Concentrates & Extracts
Type: Live Resin
Batch#: 210803-SLRT




Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	08/04/2021	LC-DAD	Pass
Residual Solvents	08/04/2021	HS-GC-MS	Pass
Microbials	08/05/2021	qPCR	Pass
Mycotoxins	08/04/2021	LC-MS	Pass
Pesticides	08/04/2021	LC-MS	Pass
Heavy Metals	08/05/2021	ICP-MS	Pass
Foreign Matter	08/04/2021	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

Pass



Analyte	LOD	LOQ	Result	Result	Result
	%	%	%	mg/g	mg/unit
THCa	0.050	0.152	18.245	182.45	182.45
Δ9-THC	0.029	0.088	64.446	644.46	644.46
Δ8-THC	0.051	0.154	ND	ND	ND
THCVa	0.017	0.051	0.187	1.87	1.87
THCV	0.035	0.105	0.325	3.25	3.25
CBDa	0.042	0.129	0.135	1.35	1.35
CBD	0.011	0.035	0.249	2.49	2.49
CBN	0.011	0.035	0.828	8.28	8.28
CBGa	0.043	0.129	0.661	6.61	6.61
CBG	0.016	0.050	3.939	39.39	39.39
CBCa	0.027	0.081	1.087	10.87	10.87
CBC	0.025	0.075	1.116	11.16	11.16
Total THC			80.447	804.470	804.470
Total CBD			0.368	3.680	3.680
Total			91.219	912.193	912.193

1 Unit = 1g:

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Evelyn Alvarez
QA Director
08/05/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Supherb "Tropicana Live Resin" Tank

METRC Batch: 1A4060300003DCE000000521; METRC Sample: 1A406030001DD59000002718

Sample ID: 2108ENC6198_8241
Strain: Tropicana

Produced: 08/03/2021
Collected: 08/03/2021
Received: 08/03/2021
Completed: 08/05/2021
Sample Size: 8 units; Batch: 1,011 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Matrix: Concentrates & Extracts
Type: Live Resin
Batch#: 210803-SLRT

Pesticides

Method: SOP EL-PesticidesLCMS
LC-MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.1	ND	Pass	Fludioxonil	0.01	0.05	0.1	ND	Pass
Acephate	0.002	0.01	0.1	ND	Pass	Hexythiazox	0.005	0.02	0.1	ND	Pass
Acequinocyl	0.01	0.02	0.1	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.1	ND	Pass	Imidacloprid	0.005	0.02	5	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.1	ND	Pass
Azoxystrobin	0.005	0.02	0.1	ND	Pass	Malathion	0.02	0.05	0.5	ND	Pass
Bifenazate	0.005	0.01	0.1	ND	Pass	Metalaxyl	0.002	0.005	2	ND	Pass
Bifenthrin	0.02	0.05	3	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.1	ND	Pass	Methomyl	0.01	0.02	1	ND	Pass
Captan	0.2	0.3	0.7	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.5	ND	Pass	Myclobutanil	0.005	0.01	0.1	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Naled	0.01	0.02	0.1	ND	Pass
Chlorantraniliprole	0.002	0.01	10	ND	Pass	Oxamyl	0.005	0.01	0.5	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Pacllobutrazol	0.05	0.1	0.05	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	Pentachloronitrobenzene	0.02	0.05	0.1	ND	Pass
Clofentezine	0.01	0.02	0.1	ND	Pass	Permethrin	0.02	0.05	0.5	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.1	ND	Pass
Cyfluthrin	0.05	0.1	2	ND	Pass	Piperonyl Butoxide	0.02	0.05	3	ND	Pass
Cypermethrin	0.1	0.2	1	ND	Pass	Prallethrin	0.005	0.02	0.1	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.1	ND	Pass
Diazinon	0.002	0.01	0.1	ND	Pass	Propoxur	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.5	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.1	ND	Pass
Dimethomorph	0.005	0.02	2	ND	Pass	Spinetoram	0.005	0.01	0.1	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.1	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.1	ND	Pass
Etoazole	0.005	0.02	0.1	ND	Pass	Spirotetramat	0.005	0.01	0.1	ND	Pass
Fenhexamid	0.005	0.02	0.1	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.1	ND	Pass
Fenpyroximate	0.005	0.02	0.1	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5	ND	Pass
Fonicamid	0.01	0.02	0.1	ND	Pass	Trifloxystrobin	0.005	0.01	0.1	ND	Pass

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Evelyn Alvarez

Evelyn Alvarez
QA Director
08/05/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Supherb "Tropicana Live Resin" Tank

METRC Batch: 1A4060300003DCE000000521; METRC Sample: 1A406030001DD59000002718

Sample ID: 2108ENC6198_8241
Strain: Tropicana

Produced: 08/03/2021
Collected: 08/03/2021
Received: 08/03/2021
Completed: 08/05/2021
Sample Size: 8 units; Batch: 1,011 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Residual Solvents

Method: SOP EL-RES_SOLVENTS
HS-GC-MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.29	1	ND	Pass
Acetone	5.5	16.68	5000	21.59	Pass
Acetonitrile	4.56	13.82	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	3.33	10	5000	229.16	Pass
Chloroform	0.1	0.29	1	ND	Pass
Ethanol	3.33	10	5000	99.32	Pass
Ethyl-Acetate	3.33	10	5000	ND	Pass
Ethyl-Ether	3.33	10	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	3.33	10	5000	<LOQ	Pass
Isopropanol	3.33	10	5000	292.53	Pass
Methanol	8.85	26.8	3000	ND	Pass
Methylene-Chloride	0.1	0.31	1	ND	Pass
n-Hexane	3.33	10	290	ND	Pass
Pentane	3.33	10	5000	ND	Pass
Propane	3.33	10	5000	ND	Pass
Toluene	3.33	10	890	ND	Pass
Trichloroethene	0.1	0.29	1	ND	Pass
Xylenes	6.66	20	2170	ND	Pass

LABS

Date Tested: 08/04/2021
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Evelyn Alvarez

Evelyn Alvarez
QA Director
08/05/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Supherb "Tropicana Live Resin" Tank

METRC Batch: 1A4060300003DCE000000521; METRC Sample: 1A406030001DD59000002718

Sample ID: 2108ENC6198_8241
Strain: Tropicana

Produced: 08/03/2021
Collected: 08/03/2021
Received: 08/03/2021
Completed: 08/05/2021
Sample Size: 8 units; Batch: 1,011 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Mycotoxins

Method: SOP EL-PesticidesLCMS
LC-MS

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Result µg/kg	Status
B1	2	4		ND	Tested
B2	2	4		ND	Tested
G1	2	4		ND	Tested
G2	2	4		ND	Tested
Ochratoxin A	1	2	20	ND	Pass
Total Aflatoxins			20	ND	Pass



Date Tested: 08/04/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Evelyn Alvarez

Evelyn Alvarez
QA Director
08/05/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Supherb "Tropicana Live Resin" Tank

METRC Batch: 1A4060300003DCE000000521; METRC Sample: 1A406030001DD59000002718

Sample ID: 2108ENC6198_8241
Strain: Tropicana

Produced: 08/03/2021
Collected: 08/03/2021
Received: 08/03/2021
Completed: 08/05/2021
Sample Size: 8 units; Batch: 1,011 units

Distributor
VBX Labs LLC

Lic. # C11-0000988-LIC
9631 Topanga Canyon Place
Chatsworth, CA 91311

Producer
VBX Labs

Lic. # CDPH-10002777
9631 TOPANGA CANYON PL.
Chatsworth, CA 91311

Matrix: Concentrates & Extracts
Type: Live Resin
Batch#: 210803-SLRT

Microbials

Method: SOP EL-MICROBIALS
qPCR

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 08/05/2021

Heavy Metals

Method: SOP EL-HEAVYMETALS
ICP-MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	<LOQ	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 08/05/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Evelyn Alvarez
QA Director
08/05/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

